

Refine Search

Search Results -

| Term | Documents |
|--|-----------|
| (6 AND 14).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD. | 0 |
| (L14 AND L6).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD. | 0 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L17

Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Wednesday, December 07, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> <u>result</u> <u>set</u> |
|---|---|----------------------------|--|
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L17</u> | L14 and l6 | 0 | <u>L17</u> |
| <u>L16</u> | L14 and l5 | 54 | <u>L16</u> |
| <u>L15</u> | L14 and l4 | 97 | <u>L15</u> |
| <u>L14</u> | L13 and (single or one or only) near4 port\$2 | 138 | <u>L14</u> |
| <u>L13</u> | predict\$7 near5 branch\$4 near25 (bank\$1 or section\$1 or segment\$1 or unit\$1) near12 (plur\$7 or multi\$7 or two or dual or odd or even or second) | 600 | <u>L13</u> |
| <i>DB=PGPB,USPT; PLUR=YES; OP=OR</i> | | | |
| <u>L12</u> | l3 and l6 | 1 | <u>L12</u> |
| <u>L11</u> | l3 and l5 | 46 | <u>L11</u> |
| <u>L10</u> | l3 and l4 | 130 | <u>L10</u> |
| <u>L9</u> | l2 and l6 | 6 | <u>L9</u> |
| <u>L8</u> | l2 and l5 | 120 | <u>L8</u> |

| | | | |
|---|--|-------|-----------|
| <u>L7</u> | l2 and l4 | 331 | <u>L7</u> |
| <u>L6</u> | (711/153,173,210)![CCLS] | 1303 | <u>L6</u> |
| <u>L5</u> | (712/225,230-240)![CCLS] | 2195 | <u>L5</u> |
| <u>L4</u> | (712/2-300)[CCLS] | 11640 | <u>L4</u> |
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L3</u> | L2 and (single or one or only) near4 port\$2 | 202 | <u>L3</u> |
| <u>L2</u> | predict\$7 near5 branch\$4 and (bank\$1) near12 (plur\$7 or multi\$7 or two or dual or odd or even or second) | 513 | <u>L2</u> |
| <u>L1</u> | predict\$7 near5 branch\$4 near25 (bank\$1) near12 (plur\$7 or multi\$7 or two or dual or odd or even or second) | 15 | <u>L1</u> |

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((bank*, segment*, section*) <and> branch* <near/15> predict*)<in>metadata)"

e-mail

Your search matched 18 of 1278046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((bank*, segment*, section*) <and> branch* <near/15> predict*)<in>metadata)

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information



1. Modeling of geometric properties of loblolly pine tree and stand characteristics for use in ra studies

Kasischke, E.S.; Christensen, N.L., Jr.; Haney, E.M.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 32, Issue 4, July 1994 Page(s):800 - 822
Digital Object Identifier 10.1109/36.298009

[AbstractPlus](#) | Full Text: [PDF](#)(1648 KB) IEEE JNL

2. Laser-fabricated low-loss single-mode raised-rib waveguiding devices in polymers

Eldada, L.; Chengzeng Xu; Stengel, K.M.T.; Shacklette, L.W.; Yardley, J.T.;
Lightwave Technology, Journal of
Volume 14, Issue 7, July 1996 Page(s):1704 - 1713
Digital Object Identifier 10.1109/50.507948

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1504 KB) IEEE JNL

3. One billion transistors, one uniprocessor, one chip

Patt, Y.N.; Patel, S.J.; Evers, M.; Friendly, D.H.; Stark, J.;
Computer
Volume 30, Issue 9, Sept. 1997 Page(s):51 - 57
Digital Object Identifier 10.1109/2.612249

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(328 KB) IEEE JNL

4. An acoustic model of the respiratory tract

Harper, P.; Kraman, S.S.; Pasterkamp, H.; Wodicka, G.R.;
Biomedical Engineering, IEEE Transactions on
Volume 48, Issue 5, May 2001 Page(s):543 - 550
Digital Object Identifier 10.1109/10.918593

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(132 KB) IEEE JNL

5. Power-aware branch prediction: characterization and design

Parikh, D.; Skadron, K.; Zhang, Y.; Stan, M.;
Computers, IEEE Transactions on
Volume 53, Issue 2, Feb 2004 Page(s):168 - 186
Digital Object Identifier 10.1109/TC.2004.1261827

[AbstractPlus](#) | Full Text: [PDF](#)(7587 KB) IEEE JNL

6.

Software Trace Cache

Ramirez, A.; Larriba-Pey, J.L.; Valero, M.;
Computers, IEEE Transactions on
Volume 54, Issue 1, Jan 2005 Page(s):22 - 35
Digital Object Identifier 10.1109/TC.2005.13

[AbstractPlus](#) | Full Text: [PDF](#)(1032 KB) [IEEE JNL](#)

☐ **7. Deep Jam: Conversion of Coarse-Grain Parallelism to Instruction-Level and Vector Parallel Applications**

Caribault, P.; Cohen, A.; Jalby, W.;
Parallel Architectures and Compilation Techniques, 2005. PACT 2005. 14th International Conferen
17-21 Sept. 2005 Page(s):291 - 302
Digital Object Identifier 10.1109/PACT.2005.16

[AbstractPlus](#) | Full Text: [PDF](#)(264 KB) [IEEE CNF](#)

☐ **8. The Naval Sea Systems Command Underwater Acoustic Data Bank**

Maples, L.; Santaniello, S.;
OCEANS
Volume 7, Sep 1975 Page(s):428 - 430

[AbstractPlus](#) | Full Text: [PDF](#)(280 KB) [IEEE CNF](#)

☐ **9. A systematic methodology to compute the architectural vulnerability factors for a high-performance microprocessor**

Mukherjee, S.S.; Weaver, C.; Emer, J.; Reinhardt, S.K.; Austin, T.;
Microarchitecture, 2003. MICRO-36. Proceedings. 36th Annual IEEE/ACM International Symposium
2003 Page(s):29 - 40
Digital Object Identifier 10.1109/MICRO.2003.1253181

[AbstractPlus](#) | Full Text: [PDF](#)(374 KB) [IEEE CNF](#)

☐ **10. Branch predictor prediction: a power-aware branch predictor for high-performance processors**

Baniasadi, A.; Moshovos, A.;
Computer Design: VLSI in Computers and Processors, 2002. Proceedings. 2002 IEEE International
16-18 Sept. 2002 Page(s):458 - 461
Digital Object Identifier 10.1109/ICCD.2002.1106813

[AbstractPlus](#) | Full Text: [PDF](#)(341 KB) [IEEE CNF](#)

☐ **11. Power issues related to branch prediction**

Parikh, D.; Skadron, K.; Yan Zhang; Barcella, M.; Stan, M.R.;
High-Performance Computer Architecture, 2002. Proceedings. Eighth International Symposium on
2-6 Feb. 2002 Page(s):233 - 244

[AbstractPlus](#) | Full Text: [PDF](#)(411 KB) [IEEE CNF](#)

☐ **12. In search of efficient reliable processor design**

Sato, T.; Arita, I.;
Parallel Processing, International Conference on, 2001.
3-7 Sept. 2001 Page(s):525 - 532
Digital Object Identifier 10.1109/ICPP.2001.952100

[AbstractPlus](#) | Full Text: [PDF](#)(720 KB) [IEEE CNF](#)

☐ **13. On the use of dual polarized interferometry to measure scattering from vegetated areas**

van Zyl, J.J.;
Geoscience and Remote Sensing Symposium, 1995. IGARSS '95. 'Quantitative Remote Sensing for
Applications', International
Volume 1, 10-14 July 1995 Page(s):610 vol.1
Digital Object Identifier 10.1109/IGARSS.1995.520469


[AbstractPlus](#) | Full Text: [PDF](#)(60 KB) [IEEE CNF](#)

☐ **14. A generalized vocal tract model for pole-zero type linear prediction [speech processing]**

Moon Gi Kang; Byeong Gi Lee;

Acoustics, Speech, and Signal Processing, 1988. ICASSP-88., 1988 International Conference on
11-14 April 1988 Page(s):687 - 690 vol.1

Digital Object Identifier 10.1109/ICASSP.1988.196679

[AbstractPlus](#) | Full Text: [PDF](#)(356 KB)  CNF




**15. Neural networks and the mathematics of chaos-an investigation of these methodologies as :
of corporate bankruptcy**

Cadden, D.T.;

Artificial Intelligence on Wall Street, 1991. Proceedings., First International Conference on
9-11 Oct. 1991 Page(s):52 - 57

Digital Object Identifier 10.1109/AIAWS.1991.236574


[AbstractPlus](#) | Full Text: [PDF](#)(380 KB)  CNF



16. A 300 MIPS, 300 MFLOPS four-issue CMOS superscalar microprocessor

Ikumi, N.; Tanaka, S.; Sawada, K.; Nagamatsu, M.; Kondo, Y.; Takayanagi, T.; Minagawa, K.; Akib
Hiruta, Y.; Hsu, P.; Rodman, P.; Bratt, J.; Man Kit Tang; Nofal, M.; Joshi, C.; Scanlon, J.;
Solid-State Circuits Conference, 1994. Digest of Technical Papers. 41st ISSCC., 1994 IEEE Intern
16-18 Feb. 1994 Page(s):204 - 205

Digital Object Identifier 10.1109/ISSCC.1994.344669

[AbstractPlus](#) | Full Text: [PDF](#)(216 KB)  CNF




17. Microwave soil moisture prediction through corn in Washita '92

O'Neill, P.E.; Chauhan, N.S.; Jackson, T.J.; Le Vine, D.M.; Lang, R.H.;

Geoscience and Remote Sensing Symposium, 1994. IGARSS '94. 'Surface and Atmospheric Rem
Technologies, Data Analysis and Interpretation', International
Volume 3, 8-12 Aug. 1994 Page(s):1585 - 1587 vol.3

Digital Object Identifier 10.1109/IGARSS.1994.399505


[AbstractPlus](#) | Full Text: [PDF](#)(256 KB)  CNF



18. A novel FDTD based model for prediction of bistatic RCS of single leaves and trees

Caldeirinha, R.; Al-Nuaimi, M.;

Antennas and Propagation, 2001. Eleventh International Conference on (IEE Conf. Publ. No. 480)
Volume 2, 17-20 April 2001 Page(s):783 - 786 vol.2

[AbstractPlus](#) | Full Text: [PDF](#)(368 KB)  CNF



Indexed by


[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE